




Enclosed/Horse & Livestock

These front roof caps are available in four different widths and in both 6" and 12" radius models.

| FRONT ROOF CAPS – FLAT | | | | | | |
|------------------------|-------------|-------|--------|--------|-------|-------|
| Part # | Style | Gauge | Radius | Height | Width | Depth |
| 6315 | Flat | 19 | 6" | 8" | 60" | 8" |
| 6316 | Flat | 19 | 6" | 8" | 72" | 8" |
| 6317 | Flat | 19 | 6" | 8" | 80" | 8" |
| 6318 | Flat | 19 | 6" | 8" | 84" | 8" |
| 6308 | Flat | 19 | 12" | 13" | 60" | 13" |
| 6306 | Flat | 19 | 12" | 13" | 72" | 13" |
| 6314 | Flat | 19 | 12" | 13" | 84" | 13" |
| 6313 | Flat | 19 | 12" | 14" | 80" | 14" |
| 6304 | Low profile | 19 | 6" | 8" | 60" | 35" |
| 6305 | Low profile | 19 | 6" | 8" | 72" | 37" |
| 6301 | Round | 19 | 12" | 15" | 60" | 37" |
| 6302 | Round | 19 | 12" | 15" | 72" | 37" |




Ball corners are available in either steel or aluminum. The aluminum ball corners are fast becoming popular for both van and horse trailers.

| BALL CORNERS | | |
|--------------|----------|-------------|
| Part # | Material | Description |
| 6311 | Steel | 6" radius |
| 6311-A | Aluminum | 6" radius |
| 6310 | Steel | 12" radius |
| 6310-A | Aluminum | 12" radius |




All of our angled nose bows are available in several options and angles.

| ROLLED NOSE BOWS | | | | |
|------------------|-------------------|-------|--------|------------------------------|
| Part # | Description | Width | Radius | Material |
| 6420 | Rolled nose angle | 60" | 30" | 1.250" x 1.250", .125" steel |
| 6421 | Rolled nose angle | 72" | 36" | 1.250" x 1.250", .125" steel |
| 6424 | Rolled nose angle | 80" | 40" | 1.250" x 1.250", .125" steel |
| 6422 | Rolled nose bow | 60" | 30" | 1" square 16 ga tubing |
| 6423 | Rolled nose bow | 72" | 36" | 1" square 16 ga tubing |




Gussets provide an integral part of the trailer's design, support and strength. They come in three sizes, with or without a lip. Rear gussets serve as a mounting place for tail lights. All gussets are heavy-duty metal.


| GUSSETS | | |
|----------|-------------------|--------------------|
| Part # | Size | Description |
| 10X46BGL | 10" x 46" x .125" | 1" lip, left hand |
| 10X46BGR | 10" x 46" x .125" | 1" lip, right hand |
| 6772-L | 15" x 34" x .188" | 1" lip, left hand |
| 6772-R | 15" x 34" x .188" | 1" lip, right hand |
| 7201 | 24" x 30" x .250" | No lip |




Enclosed Horse & Livestock



| TRAILER SIDES | | | | | | |
|---------------|----------|--------|--------|---------|--------|--------|
| Part # | Material | Dim. A | Dim. B | Dim. C | Dim. D | Dim. E |
| 6753 | 16 ga cr | 2" | 2" | 19" | 1" | 5' |
| 6754 | 16 ga cr | 2" | 2" | 19" | 1" | 8' |
| 6755 | 16 ga cr | 2" | 2" | 19" | 1" | 10' |
| 6799-008 | 16 ga cr | 2" | 2" | 24.125" | 1" | 5' |
| 6799-009 | 16 ga cr | 2" | 2" | 24.125" | 1" | 6' |
| 6799-010 | 16 ga cr | 2" | 2" | 24.125" | 1" | 10' |



| BRUSH FENDERS | | | | | | |
|---------------|----------|--------|--------|--------|--------|--------|
| Part # | Material | Dim. A | Dim. B | Dim. C | Dim. D | Dim. E |
| SF108 | 11 gauge | 2" | 12" | 20" | 2" | 8' |
| SF110 | 11 gauge | 2" | 12" | 20" | 2" | 10' |





| BOTTOM PANELS | | | |
|---------------|--------|--------|---------------------|
| Part # | Length | Width | Material |
| 6801 | 10' | 22.50" | 16 gauge, cold roll |
| 6830 | 10' | 33" | 16 gauge, cold roll |
| 6832 | 10' | 45" | 16 gauge, cold roll |
| 6802 | 12' | 22.50" | 16 gauge, cold roll |



| SIDE SLATS | | | | |
|------------|-------------|--------|-------|---------------------|
| Part # | Description | Length | Width | Material |
| 6701 | Flat | 10' | 5" | 16 gauge, cold roll |
| 6702 | Flat | 12' | 5" | 16 gauge, cold roll |
| 6704 | Grooved | 16' | 6" | 18 gauge, cold roll |
| 6703 | Grooved | 20' | 6" | 18 gauge, cold roll |
| 6705 | Grooved | 24' | 6" | 18 gauge, cold roll |

Our feed and saddle doors come complete with hinge installed.



| FEED & SADDLE DOORS | | | | |
|---------------------|--------------------|-------|--------|-------|
| Part # | Description | Width | Height | Gauge |
| 6375 | Rolled saddle door | 30" | 33" | 16 |
| 6376 | Rolled saddle door | 30" | 36" | 16 |
| 6381 | Flat saddle door | 30" | 33" | 16 |
| 6370 | Feed door | 17" | 23" | 16 |



Enclosed Horse & Livestock

All roof bows are 16 gauge and 1" square tubing which produces a true radius.

| ROOF BOWS | | | | |
|-------------------|-------------------|--------|-------|--------|
| Part # (Straight) | Part # (Cambered) | Height | Width | Radius |
| 6412-7 | 6412-C7 | 7" | 60" | 6" |
| 6413-7 | 6413-C7 | 7" | 72" | 6" |
| 6408-7 | 6408-C7 | 7" | 80" | 6" |
| 6409-7 | 6409-C7 | 7" | 84" | 6" |
| 6415-7 | 6415-C7 | 7" | 96" | 6" |
| 6412 | 6412-C | 8" | 60" | 6" |
| 6413 | 6413-C | 8" | 72" | 6" |
| 6408 | 6408-C | 8" | 80" | 6" |
| 6409 | 6409-C | 8" | 84" | 6" |
| 6415 | 6415-C | 8" | 96" | 6" |
| 6411-13 | 6411-C13 | 13" | 72" | 12" |
| 6410 | 6410-C | 14" | 60" | 12" |
| 6411 | 6411-C | 14" | 72" | 12" |
| 6407 | 6407-C | 14" | 80" | 12" |
| 6416 | 6416-C | 14" | 84" | 12" |
| 6414 | 6414-C | 14" | 96" | 12" |



| PIPE BOWS | | | |
|-----------|--------|-------|--------|
| Part # | Height | Width | Radius |
| 6417 | 78" | 72" | 6" |



Heavy duty steps by Hickory Step ensure a safe means to step up into your trailer.

| FOLDING STEP | |
|--------------|--------------------------|
| Part # | Description |
| HS1001 | 24" Single fold out step |
| HS1002 | 24" Double fold out step |

Our quality constructed camper doors have the following special features:

- Weathertight seal, quiet operation,
- Secure locking flush-mount latch,
- Left-hand opening – hinges on the right,
- Fiberglass construction,
- Inner foam core,
- 12" x 27" vertical sliding window.


| CAMPER DOORS | |
|--------------|--|
| Part # | Description |
| CD2460 | 24" x 60" Cut-out size |
| CD2464 | 24" x 64" Cut-out size |
| CD2468 | 24" x 68" Cut-out size |
| CD2868 | 28" x 68" Cut-out size |
| CD3060 | 30" x 60" Cut-out size |
| CD3066 | 30" x 66" Cut-out size |
| CD3068 | 30" x 68" Cut-out size |
| CD3660 | 36" x 60" Cut-out size |
| CD3664 | 36" x 64" Cut-out size |
| CD3668 | 36" x 68" Cut-out size |
| CDLAT | Replacement latch assembly with key for camper doors |



Enclosed Horse & Livestock

These Creation windows are 90° radius with a tempered safety glass. All windows have black frames with inside screens and are available in a mill aluminum finish (change the “B” in the part numbers to “M”). These windows are designed to fit either left or right-hand side and have weep hole drainage plugs on top and bottom. It comes with an inside lock and outside handles. Multiple clamp ring thicknesses are available upon request.

C2414B



C4414B



| CREATION 90° RADIUS WINDOWS | | | |
|-----------------------------|-----------------|-------------------|-----------------------|
| Window Part # | Size | Clamp Ring Part # | Wall Thickness |
| C1614B | 16" x 14" | CR1614B5 | .125" or .75 Reversed |
| C17751075B | 17.75" x 10.75" | CR17751075B10 | 1.3125" |
| C1815B | 18" x 15" | CR1815B7 | 1.0625" |
| C2114B | 21" x 14" | CR2114B9 | 1.250" |
| C2414B | 24" x 14" | CR2414B9 | 1.28125" |
| C2415B | 24" x 15" | CR2415B14 | 2.125" |
| C3414B | 34" x 14" | CR3414B7 | 1.0625" |
| C3415B | 34" x 15" | CR3415B14 | 2.125" |
| C4414B | 44" x 14" | CR4414B5 | .125" or .75 Reversed |
| C4815B | 48" x 15" | CR4815B9 | 1.250" |
| C5313B | 53" x 13" | CR5313B18 | .0625" Skin mount |
| C5319B | 53" x 19" | CR5319B14 | 2.125" |

Edge trim is flexible plastic molding used to cover sharp edges. It is easy to cut and install, and fits up to 1/8" diameter.

CET50



| EDGE TRIM | |
|-----------|----------------------------|
| Part # | Description |
| CET50 | Chrome edge trim, 50' roll |
| CET50-BK | Black edge trim, 50' roll |

49PL-12



Dress up your horse/livestock trailer with “V” type trim.

| “V” TYPE TRIM | |
|---------------|-----------------------------|
| Part # | Description |
| 49PL-12 | “V” type trim, 12' x 1.125" |

1924-12




Lipped trim is used around doors and windows. It can also be used to cover the seam between two sheets of metal.

| LIPPED TRIM | | |
|-------------|--------------------|--------------|
| Part # | Description | Size |
| 1923-12 | Chrome lipped trim | 1" x 12' |
| 1923-21 | Chrome lipped trim | 1" x 21' |
| 1924-12 | Chrome lipped trim | 1.250" x 12' |
| 1924-21 | Chrome lipped trim | 1.250" x 21' |
| 2625-12 | Chrome lipped trim | 1.625" x 12' |
| 2625-21 | Chrome lipped trim | 1.625" x 21' |

Enclosed Horse & Livestock

SELF-ADHESIVE TRIM


| Part # | Description | Size |
|-----------|---------------------------------------|------------------------|
| SAT137CBK | Self-adhesive trim with black insert | 1.385" wide, 100' roll |
| SAT137CRD | Self-adhesive trim with red insert | 1.385" wide, 100' roll |
| SAT137WE | Self-adhesive trim with white insert | 1.385" wide, 100' roll |
| SAT137CSL | Self-adhesive trim with silver insert | 1.385" wide, 100' roll |



The trim end cap is an aluminum cap that protects the trim and insert.

TRIM END CAP

| Part # | Description |
|-------------|---------------------------|
| RV908-ECM | End cap with mill finish |
| RV908-ECCW | End cap with white finish |
| RV908-ECBLK | End cap with black finish |



Flat trim is used on seams around your trailer body. It covers any unattractive sealants around the joints of adjacent panels.

FLAT TRIM

| Part # | Description | Size |
|----------|------------------|--------------|
| 6439-34 | Flat chrome trim | 12' x .750" |
| 6439-138 | Flat chrome trim | 12' x 1.385" |



Drip rail trim is used at the seam of your trailer's roof and sides. It prevents water from running down the sides of your trailer.

DRIP RAIL TRIM


| Part # | Description | Size |
|--------|-----------------------|-------------|
| 688-12 | Chrome drip rail trim | 12' x .750" |



Insert trim is used to cover joints and seams. It is available in 12' or 21' lengths. Colored vinyl insert is also available.

INSERT TRIM


| Part # | Description | Size |
|---------|---------------------------|--------------|
| 2605-12 | Chrome lip insert, even | 12' x 1.250" |
| 2605-21 | Chrome lip insert, even | 21' x 1.188" |
| 1904-21 | Chrome lip insert, uneven | 21' x 1.188" |



Vinyl insert is sold by the roll (750') or by the foot. It is used with 1904 or 2605 insert trim and has a 1" width.

VINYL INSERT

| Part # the foot | Part # by the roll | Description |
|-----------------|--------------------|----------------------|
| VI-BLACK | VI-BLACK-750 | Vinyl insert, black |
| VI-RED | VI-RED-750 | Vinyl insert, red |
| VI-WHITE | VI-WHITE-750 | Vinyl insert, white |
| VI-BLUE | VI-BLUE-750 | Vinyl insert, blue |
| VI-SILVER | VI-SILVER-750 | Vinyl insert, silver |
| VI-BROWN | VI-BROWN-750 | Vinyl insert, brown |
| VI-TEAL | VI-TEAL-750 | Vinyl insert, teal |



Enclosed Horse & Livestock

DUO-THERM

AC-13500



Keep your cool with an air conditioner from Duo Therm. Mounts in standard vent cutout.

DUO THERM AIR CONDITIONERS

| Part # | Description |
|----------|--|
| AC-13500 | Rooftop AC unit, 110V, 13,500 BTU with 3 speed fan |
| AC-VENT | Interior airbox with vents and controls |
| AC-HS | Heat strip, 5,600 BTU for AC-13500 |

AC-HS




Crank-out dome vents come complete with a screen and inside trim. All vents are complete with inner trim garnish. This ventilator can be used as a vent or skylight.

DOMED VENTILATORS

| Part # | Size | Description |
|--------|-----------|---|
| 6504 | 14" x 14" | With white acrylic top, metal flange and garnish |
| 6505 | 14" x 14" | With white acrylic top, metal flange, garnish and 12 volt fan |
| 6506 | 14" x 14" | With smoke acrylic top, metal flange and garnish |
| 6507 | 22" x 22" | With white acrylic top, metal flange and garnish |

6504



Providing a large opening for increased air flow, this roof pop-up ventilator comes complete with screen, gasket, and a lever operated pop-up vent. Interior garnish is available.

ROOF POP-UP VENTILATORS

| Part # | Size | Description |
|--------|----------|---|
| 9106 | 8" x 12" | Salem 2-way pop-up vent with screen |
| 9106AL | 8" x 12" | Salem 2-way pop-up vent with screen, aluminum |

9106




The complete unit includes a gasket, an interior butterfly vent, and a roof-mount sloped roof vent.

SLOPED ROOF VENTILATORS

| Part # | Size | Description |
|--------|-----------|----------------------------|
| 6502 | 10" x 12" | Sloped roof vent, complete |

6502



Butterfly vents are a polished aluminum vent that is both attractive and a functional source of ventilation. Ideal for use on horse, stock, dog, or cargo van trailers.

BUTTERFLY VENT

| Part # | Size | Description |
|--------|-------|------------------------|
| 6501 | 7.50" | Polished aluminum vent |

6501



Our aluminum gravel guard is made of a high quality brushed aluminum and has an attractive diamond design. Sold by the foot or 250' rolls.

GRAVEL GUARD - ALUMINUM

| Part # by the foot | Part # by the roll | Description | Width |
|--------------------|--------------------|------------------------|-------|
| AGG6 | AGG6-250 | Gravel guard, aluminum | 6" |
| AGG7 | AGG7-250 | Gravel guard, aluminum | 7" |
| AGG9 | AGG9-250 | Gravel guard, aluminum | 9" |
| AGG12 | AGG12-250 | Gravel guard, aluminum | 12" |
| AGG14 | AGG14-250 | Gravel guard, aluminum | 14" |
| AGG18 | AGG18-250 | Gravel guard, aluminum | 18" |

AGG6



Enclosed Horse & Livestock

Deluxe, black vinyl gravel guard has an adhesive back and provides a non-skid step-type surface as an alternative to aluminum gravel guard. It is sold by the foot or by the roll.

| GRAVEL GUARD - VINYL | | | |
|----------------------|--------------------|---------------------|-------|
| Part # by the foot | Part # by the roll | Description | Width |
| VGG1.5 | VGG1.5-300 | Gravel guard, vinyl | 1.50" |
| VGG5 | VGG5-300 | Gravel guard, vinyl | 5" |
| VGG7 | VGG7-300 | Gravel guard, vinyl | 7" |
| VGG9 | VGG9-300 | Gravel guard, vinyl | 9" |
| VGG12 | VGG12-300 | Gravel guard, vinyl | 12" |

VGG9



| MUD FLAPS | | | |
|-----------|-------|--------|-----------|
| Part # | Width | Length | Thickness |
| 6255 | 19" | 24" | .385" |
| 6258 | 24" | 30" | .385" |

6255



Available by the foot or in 40' rolls.

| RUBBER MATTING | | | |
|--------------------|--------------------|-------------|------------------------------|
| Part # by the foot | Part # by the roll | Size | Description |
| 6250 | 6250-40 | 28" x .313" | Horse trailer rubber matting |
| 6251 | 6251-40 | 30" x .313" | Horse trailer rubber matting |
| 6252 | 6252-40 | 34" x .313" | Horse trailer rubber matting |
| 6253 | 6253-40 | 36" x .313" | Horse trailer rubber matting |

6250



This heavy-duty stall mat for horse trailers is thicker than regular trailer mat. It comes in a variety of thicknesses and surfaces.

| STALL MATS | | |
|------------|----------------------------|-------------------|
| Part # | Description | Size |
| 48X72DP12 | Stall mat, diamond pattern | 48" x 72" x .50" |
| 48X84DP12 | Stall mat, diamond pattern | 48" x 84" x .50" |
| 48X72GM12 | Stall mat, grooved | 48" x 72" x .50" |
| 48X81GM12 | Stall mat, grooved | 48" x 81" x .50" |
| 48X72SM12 | Stall mat, smooth | 48" x 72" x .50" |
| 48X72SM34 | Stall mat, smooth | 48" x 72" x .750" |
| 48X84SM12 | Stall mat, smooth | 48" x 84" x .50" |
| 60X72SM34 | Stall mat, smooth | 60" x 72" x .750" |
| 60X84SM12 | Stall mat, smooth | 60" x 84" x .50" |
| 60X84SM34 | Stall mat, smooth | 60" x 84" x .750" |

48X72GM





Available by the foot or in 40' rolls.

| WALL LINER | | | |
|--------------------|--------------------|-------------|-------------|
| Part # by the foot | Part # by the roll | Description | Size |
| 5870 | 5870-40 | Wall liner | 34" x .250" |
| 5871 | 5871-40 | Wall liner | 36" x .250" |

5870



Enclosed Horse & Livestock




| HORSE TRAILER PADS | | |
|--------------------|-------------|-----------|
| Part # | Description | Size |
| SP912 | Side pad | 9" x 12" |
| SP915 | Side pad | 9" x 15" |
| SP924 | Side pad | 9" x 24" |
| SP938 | Side pad | 9" x 38" |
| SP940 | Side pad | 9" x 40" |
| SP960 | Side pad | 9" x 60" |
| BP2424 | Breast pad | 24" x 24" |

This trailer flooring is made of recycled tires and other materials for added strength. It is both a flooring and rubber mat. It has a 1 1/2" groove.

| DELUXE TRAILER FLOORING | | |
|-------------------------|------------------|------------------------------|
| Part # | Description | Size |
| 9102-6 | Trailer flooring | 6' tongue & groove, 8" x 2" |
| 9102-7 | Trailer flooring | 7' tongue & groove, 8" x 2" |
| 9102-16 | Trailer flooring | 16' tongue & groove, 8" x 2" |
| 9102-20 | Trailer flooring | 20' tongue & groove, 8" x 2" |
| 9102-24 | Trailer flooring | 24' tongue & groove, 8" x 2" |

| DECALS | |
|--------|---|
| Part # | Description |
| LB1 | Wiring decal |
| LB2 | Warning to check lug nuts and tire pressure |
| LB3 | Caution! Do not exceed manufacturer's vehicle weight ratings or loading recommendations |
| LB4 | Check before towing |
| LB5 | Trailer is not to be towed unless brakes are working and safety chains are securely . . . |
| LB6 | Caution! Secure all gate latches before moving trailer |
| LB7 | Safety breakaway systems will not operate unless connected to a power source . . . |



LB1



LB2



LB3




LB4



LB5



LB6



LB7